P1563

Finisher feed for broiler birds from 32 days of age until slaughter

• Meets the nutritional requirements of broiler birds during the finisher period.

TOPGRO

• Feed is highly palatable to encourage feed intake and body development.

NISHER

Nutrient	Specification ^{1,2}	Min/Max
Protein	160	Min
Lysine	9.5	Min
Fat	25	Min
Fibre	70	Max
Calcium	6 – 12	Min to Max
Phosphorous	4.5	Min
	EXTURE AND PACKAGING:	

Packaging: 10 kg and 40kg bags

Reflects minimum and maximum values for registration purposes. Actual nutrient values might be higher than minimum specifications and lower than the maximum specifications.

² Unit g/kg

- Highly digestible protein to optimise body mass development.
- Contains standard growth promoter and coccidiostat for optimised production and profitability.

Animal Group:

Broilers

Class:

Broiler Finisher Feed

Objective:

Topgro Finisher is developed to meet the nutritional requirements of broilers from approximately 32 days until slaughter.

Feeding Instructions:

- 1. Feed *ad lib* from 32 days of age. Feed approximately 1250g/bird until approximately 40days of age.
- 2. Fresh feed and water must be available at all times.

General:

- Included standard in the broiler feed is a growth promoter and a coccidiostat.
- Contains at least 5% genetically modified organisms.



12 Byls Bridge Boulevard Highveld Ext 73, Centurion

Tel: +27 11 063 2347 afgrianimalfeeds.co.za

