

Exel-Mel products are *urea-free* and formulated for utilisation with almost any roughage source for high milk production as well as high milk solids

- Exel-Mel products are urea free.
- Exel-Mel products have a high energy content and are perfectly balanced to maintain high milk production, health and reproduction.
- Exel-Mel products contain high levels of highly digestible bypass protein which increases milk production and optimises levels of milk protein.
- Exel-Mel products contain ionophores and other medicaments for improved rumen health and feed conversion.
- Exel-Mel products are palatable.

COMPOSITION	Exel-Mel 10 NPN Free	Exel-Mel 12 NPN Free	Exel-Mel 15 NPN Free	Exel-Mel 17 NPN Free	Exel-Mel 19 NPN Free
Class:	Concentrated Dairy Feed				
Registration Number:	V23281	V15966	V15967	V4649	V8311
AFGRI Product Code:	R1036	R1040	R1041	R1042	R1043
Nutrients	g/kg	g/kg	g/kg	g/kg	g/kg
Crude Protein (min.)	100	120	150	170	190
Urea (max.)	0	0	0	0	0
Moisture (max.)	120	120	120	120	120
Crude Fat (min.)	25	25	25	25	25
Crude Fat (max.)	85	85	85	85	85
Crude Fibre (max.)	120	120	120	120	120
Calcium (min.)	8	8	8	8	8
Calcium (max.)	13	13	13	13	13
Phosphorus (min.)	4	4	4	4	4

FEEDING RECOMMENDATIONS:

The quantity of dairy feed fed per animal will depend on:

- The quality and availability of grazing and/or roughage.
- The stage of lactation.
- Milk and milk solids production.

Form: Mash or Pellets

Packages: Bulk or 40 kg Bags

WARNING

This farm feed contains registered stock remedies. Feed strictly according to instructions.

12 Byls Bridge Boulevard Highveld Ext 73 Centurion Tel: +27 11 063 2347 afgrianimalfeeds.co.za

FEEDING INSTRUCTIONS

- Adaptation of animals is important when changing from a NPN-free dairy meal to a dairy meal which contains NPN (eg.urea). It is advisable to use a 50/50 mixture of the two types of meal over a period of 4-6 days in order to facilitate adaption.
- It is recommended that the dairy meal be fed in at least 2-4 meals per day or as a TMR (Total Mixed Ration).
- This dairy meal should not be fed indiscriminately together with NPN containing feeds. Consult an AFGRI Animal Feeds Technical Advisor for recommendations.
- Protect the feed against rain.
- Vinegar is an effective remedy against NPN poisoning. Treatment: Mix with an
 equal amount of water and dose half a bottle per calf or large sheep and 2 to 4
 bottles per head of cattle (1 bottle = 750ml).

