



COMPOSITION	Fintech HPC	Mix 1
Nutrient	g/kg	g/kg
Crude Protein (min.)	460	120
Equiv. Crude Protein from NPN (max.)	62.4%	16.02%
Urea (max.)	100	6.7
Moisture (max.)	120	120
Crude Fat (min.)	15	25
Crude Fat (max.)	30	70
Crude Fibre (max.)	120	120
Calcium (min.)	60	2.5
Calcium (max.)	100	7.5
Phosphorus (min.)	5	2.5
Ca: P Ratio	6.7-13:1	1-3:1
Magnesium (min.)	5.8	
Sulphur (min.)	9	
Potassium (min.)	33	
Iron (min.)	233 mg/kg	
Copper (min.)	53 mg/kg	
Manganese (min.)	166 mg/kg	
Zinc (min.)	345 mg/kg	
Cobalt (min.)	0.86 mg/kg	
Iodine (min.)	4 mg/kg	
Selenium (min.)	0.53 mg/kg	

FEEDING RECOMMENDATIONS

- This is a high-energy product and animals must be adapted to it.
- Sufficient grazing/roughage must be available at all times.
- A constant daily intake can help prevent digestive problems.
- Keep feed troughs filled to prevent gluttonous eating by hungry animals.
- Store in a cool, dry place, away from direct sunlight.

Form: Mash | Packaging: 40 kg bags

MIXING INSTRUCTIONS	
Ingredients	Kg
Hominy chop	400
Molasses meal ¹	80
Fintech 75 HPC	40
Wheat Bran	100
Chopped Hay (30mm)	120
TOTAL	740

¹ If molasses meal is not used it can be replaced by the same quantity of any energy source (e.g. maize).

Consult an AFGRI Animal Feeds Technical Advisor for correct use and recommendations with other raw materials.

High quality concentrate for growing and finishing of cattle

- Suitable for mixing feed for growing and fattening cattle.
- Final mix provides optimal quantities of quality natural protein, NPN, minerals, trace minerals and energy for maximum performance.
- Final mix supplies sufficient levels of rumen bypass protein and energy for improved ADG.
- Recommended for feedlot cattle.

FEEDING INSTRUCTIONS

- Protect the feed from rain. NPN (e.g. urea) is soluble and animals drinking such a solution could be poisoned.
- This farm feed must not be fed indiscriminately together with other NPN-containing feeds. Consult an AFGRI Animal Feeds Technical Advisor for recommendations.
- Vinegar is an effective remedy against NPN poisoning. Treatment: Mix with an equal amount of water and dose half a bottle per calf or large sheep and 2 to 4 bottles per head of cattle (1 bottle = 750ml).
- Gradually adapt animals over 14 days to the Fintech 75 mix in order to avoid acidosis.
- Animals must have free access to the Fintech 75 mix.
- Ensure that sufficient trough space is available.
- Ensure that sufficient roughage is always available.
- Guidelines for intake: Intake will depend on the type and rate of production.

RECOMMENDED INTAKE	
An adaptation period of 14 days is very important	
Day 1-4	Limit intake of mix to 3kg or to 1.4% of body weight per animal per day plus sufficient <i>ad lib</i> roughage or grazing.
Day 5-10	Limit intake of mix to 4kg or to 1.8% of body weight per animal per day plus sufficient <i>ad lib</i> roughage or grazing.
Day 11-14	Limit intake of mix to 5kg or to 2.3% of body weight per animal per day plus sufficient <i>ad lib</i> roughage or grazing.
Day 15+	Feed mix at 2.4-2.8% of body weight and <i>ad lib</i> hay if the animals show no signs of acidosis. 90% of the animal's diet should consist of the final mix and the rest <i>ad lib</i> hay.

WARNING
This farm feed contains a NPN source and registered stock remedies.
Feed strictly according to instructions. For stock remedy recommendations see attached labels.

Class: CONCENTRATE FOR COMPLETE CATTLE FINISHER FEED
Reg. No: V20360 – Act 36/1947 | AFGRI Product code: R1172



12 Byls Bridge Boulevard, Highveld Ext 73, Centurion
Tel: +27 11 063 2347, afgrianimalfeeds.co.za

FINTECH 75



SAMESTELLING	Fintech 75 HPK	Mengsel 1
Nutriënt	g/kg	g/kg
Ruproteïen (min.)	460	120
Ekwivalente Ruproteïen vanaf NPN (maks.)	62.4%	16.02%
Ureum (maks.)	100	6.7
Vog (maks.)	120	120
Ru-vet (min.)	15	25
Ru-vet (maks.)	30	70
Ruvel (maks.)	120	120
Kalsium (min.)	60	2.5
Kalsium (maks.)	100	7.5
Fosfor (min.)	5	2.5
Ca:P Verhouding	6.7-13:1	1-3:1
Magnesium (min.)	5.8	
Sulfaat (min.)	9	
Kalium (min.)	33	
Yster (min.)	233 mg/kg	
Koper (min.)	53 mg/kg	
Mangaan (min.)	166 mg/kg	
Sink (min.)	345 mg/kg	
Kobalt (min.)	0.86 mg/kg	
Jodium (min.)	4 mg/kg	
Selenium (min.)	0.53 mg/kg	

VOER AANBEVELINGS

- Hierdie is 'n hoë energie voer en diere moet aangepas word.
- Voldoende weiding/ruvoer moet deurgaans beskikbaar wees.
- 'n Gereelde daaglikse inname kan rumen verteringsteurnisse help voorkom.
- Hou bakke vol om gulsige vreet deur honger diere te voorkom.
- Stoor in 'n koel, droë plek, weg van direkte sonlig.

Vorm: Meel | Verpakking: 40 kg sakke

MENG INSTRUKSIES

Bestanddele	Kg
Hominy chop	400
Molassemeel ¹	80
Fintech HPK	40
Gemaalde Hooi (30mm)	120
Koringsemels	100
TOTAAL	740

- ¹ Indien melassemeel/stroop nie gebruik word nie kan dit in gelyke hoeveelhede deur 'n energiebron (bv. mielies) vervang word.

Raadpleeg 'n AFGRI Veevoere Tegniese Adviseur oor die korrekte gebruik en aanbevelings met ander grondstowwe.

Hoë kwaliteit konsentraat vir groei en afrond van beeste

- Gesik vir vermenging van voere vir groei en afronding van beeste.
- Finale mengsels voorsien optimale kwantiteit en kwaliteit energie, natuurlike proteïen, NPN, minerale en spoorminerale vir maksimum prestasie.
- Finale mengsel voorsien voldoende rumen verbyvloei proteïen en energie vir verbetering van GDT.
- Word aanbeveel vir voerkraalbeeste.

VOERINSTRUKSIES

- Beskerm hierdie veevoer teen reën. NPN (Bv. Ureum) is oplosbaar en diere wat so 'n oplossing drink kan vergiftig word.
- Moet nie hierdie veevoer onoordeelkundig saam met ander NPN-bevattende veevoere voer nie. Raadpleeg 'n AFGRI Veevoere Tegniese Adviseur vir die nodige aanbevelings.
- Asyn is 'n doeltreffende middel teen NPN-vergiftiging. Behandeling: Meng met gelyke hoeveelhede water en doseer 'n halwe bottel per half of groot skaap en 2 tot 4 bottels per bees (1 bottel = 750ml).
- Pas diere geleidelik oor 14 dae aan op Fintech 75 mengsel om suurpens te voorkom.
- Diere moet vrye toegang hê tot Fintech 75 mengsel.
- Voorsien voldoende kripspasie om oorvreet te voorkom.
- Ruvoer moet ten alle tye *ad lib* beskikbaar wees.
- Riglyne vir inname: Inname sal bepaal word deur die ouderdom en massa van die diere.

AANBEVOLE INNAME

Geleidelike aanpassings oor periode van 14 dae is uiters belangrik

Dag 1-4	Beperk inname van mengsel tot 3kg of 1.4% van liggaamsmassa en hooi <i>ad lib</i>
Dag 5-10	Beperk inname van mengsel tot 4kg of 1.8% van liggaamsmassa en hooi <i>ad lib</i>
Dag 11-14	Beperk inname van mengsel tot 5kg of 2.3% van liggaamsmassa en hooi <i>ad lib</i>
Dag 15+	Voer 2.4% - 2.8% van liggaamsmassa en hooi <i>ad lib</i> indien diere geen tekens van suurpens toon nie. Diere behoort 90% van hul totale voer inname in te neem in die vorm van die finale mengsel.

WAARSKUWING

Hierdie veevoer bevat 'n NPN bron en geregistreerde medikamente. Voer streng volgens voorskrifte. Vir medikament besonderhede sien bykomende sak etikette.

Klas: KONSENTRAAT VIR VOLLEDIGE BEESAFRONDVOER
Reg. nr.: V20360 – Wet 36/1947 | AFGRI Produktkode: R1172



12 Blys Bridge Boulevard, Highveld Ext 73, Centurion
Tel: +27 11 063 2347, afgrianimalfeeds.co.za